





Rustrans-Logistic.ru

Rustrans-Logistic.ru

SAFETY DATA SHEET

MAZDA GENUINE MOTOR OIL SN 5W-30

Version 1.0

Revision Date: SDS Number: 2017/06/21 100000009811 Date of last issue: -

Date of first issue: 2017/06/21

Rustrans-Logistic.ru

1. PRODUCT AND COMPANY IDENTIFICATION

Rustrans-Logistic.ru

: MAZDA GENUINE MOTOR OIL SN 5W-30

Rustrans-Logistic.ru trans-Logistic.ru Manufacturer or supplier's details

Manufacturer

Product name

Idemitsu Lube Middle East & Africa FZE

Dubai Airport Free

Zone 4WB-448 P.O.Box 293514

Dubai, UAE

Telephone: +971-4-2602-960

trans-Logis Fax: +971-4-2<mark>60</mark>2-96<mark>2</mark> Rustrans-Logistic.ru

Rustrans-Logistic.ru

Rustrans-Logistic.ru

Rustrans-Logistic.ru

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Rustrans-Logistic.ru

Restrictions on use

Rustrans-Logistic.ru

None known.

trans-Loc2. HAZARDS IDEN<mark>TI</mark>FICATION strans-Logistic.ru

GHS Classification

GHS label elements

Not a hazardous substance or mixture.

Not a hazardous substance or mixture.

Rustrans-Logistic.ru

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture



Hazardous components

F	Chemical name	CAS-No. NS-LOG	Concentration (% w/w)
	Distillates (petroleum), hydrotreated heavy	64742-54-7ы импор	тные м.>= 10 - < 1 <mark>3</mark>
	paraffinic		

No hazardous ingredients

	Chemical name	CAS-No.	Concentration (% w/w)
51	Mineral oil	ustrans-Logistic.ru	KUS > 80 - < 90 OG

НАЛЬНЫЕ ИМПОРТНЫЕ МАСЛА

trans-Logistic.ru





'U :ЛА







trans-Logistic.ru





'U :ЛА







trans-Logistic.ru





'U ЛА







trans-Logistic.ru





'U :ЛА







trans-Logistic.ru





'U







trans-Logistic.ru





MAZDA GENUINE MOTOR OIL SI LV 285

2017/06/21



Ester	-	< 1
Lubricating oil additive	ric.ru —	Pustra68-Logis

4. FIRST AID MEASURES

5W-30

General advice Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

ustrans-Logistic.r

delayed

None known.

5. FIREFIGHTING MEASURES ГИНАЛЬНЫЕ ИМПОРТНЫ

Hazardous combustion products

No hazardous combustion products are known

Specific extinguishing

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local methods

circumstances and the surrounding environment.

Wear self-contained breathing apparatus for firefighting if Special protective equipment :

for firefighters

6. ACCIDENTAL RELEASE MEASURES

Methods and materials for Wipe up with absorbent material (e.g. cloth, fleece). containment and cleaning up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against Normal measures for preventive fire protection.

fire and explosion

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Electrical installations / working materials must comply with Conditions for safe storage

the technological safety standards. OPTHELL

Materials to avoid No materials to be especially mentioned.

Rustrans-Logist

MAZDA GENUINE MOTOR OIL SN LV 285

5W-30

Revision Date: 2017/06/21



ic.ru

ans-Logistic.ru

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	Components with workplace c	ontrol paramete	ers		
	Components Rustrans-Logistic.ru	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
O	PDistillates (petroleum), HE MACTI hydrotreated heavy paraffinic	64742-54-7	TWA (Mist) HE	√5 mg/m3 ≡ масла	VN OEL
Ī			STEL (Mist)	10 mg/m3	VN OEL
ĺ			TWA	5 mg/m3	ACGIH
6	tic.ru Rustr	ans-Logi	(Inhalable fraction)	Rustra	ns-Logist
Ь	Distillates (petroleum),	64742-54-7	TWA (Mist)	5 mg/m3	VN OEL
	hydrotreated heavy paraffinic				
			STEL (Mist)	10 mg/m3	VN OEL
			TWA	5 mg/m3	ACGIH
	Rustrans-Logistic.ru		(Inhalable ns fraction)	-Logistic.ru	
1	Distillates (petroleum), solvent-	64742-65-0	TWA (Mist)	5 mg/m3	VN OEL
	dewaxed heavy paraffinic				
			STEL (Mist)	10 mg/m3	VN OEL
	tic.ru Rustr	ans-Logis	TWA (Inhalable	5 mg/m3 Rustra	ACGIH
Ь	ІЕ МАСЛА ОРИГИНА	ТЬНЫЕ ИМПОРТН	⊢fraction)	ОРИГИНАЛЬ	ные импортны

Personal protective equipment

Rustrans-Logistic.ru

Respiratory protection No personal respiratory protective equipment normally

Safety glasses Eye protection

Skin and body protection Protective suit

trans-Logist Hygiene measures General industrial hygiene practice.

Rustrans-Logistic.ru

Rustrans-Logistic.ru

9. PHYSICAL AND CHEMICAL PROPERTIES

ogistic.ru: trans<mark>parent</mark> Rustrans-Logistic.ru

ПA: liquid Physical state

Colour brown

Odour characteristic

Melting point/range No data available

Drop point selection is the real No data available strainselection is the real selection.

Initial boiling point and boiling : No data available

range

Pour point

: 238 °C Flash point

Rustrans-Logistic.ru Rustrans-Logistic.ru

MAZDA GENUINE MOTOR OIL SI LV 285

5W-30

2017/06/21



Method: Cleveland open cup

Upper explosion limit

No data available

rans-Logistic.ru

Lower explosion limit

No data available

Density

0,8527 g/cm3 (15 °C) Rustrans-Logistic.ru

Solubility(ies)

Water solubility

Viscosity

reactions

Viscosity, kinematic 60,63 mm2/s (40 °C)

strans-Logistic.ru

ЫЕ ИМПОР 10. STABILITY AND REACTIVITY

Reactivity No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed. Chemical stability

Possibility of hazardous Stable under recommended storage conditions.

No hazards to be specially mentioned.

Strong acids and strong bases

Conditions to avoid No data available

Hazardous decomposition No hazardous decomposition products are known. products

11. TOXICOLOGICAL INFORMATION

Incompatible materials

ıstrans-Logistic.ru



ans-Logistic.ru

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.



Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.



Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.



Reproductive toxicity

Not classified based on available information.

STOT - single exposure Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



MAZDA GENUINE MOTOR OIL SN LV 285 5W-30

Revision Date: 2017/06/21



Aspiration toxicity

Not classified based on available information.

импортны Further information ОРИГИНАЛЬНЫЕ ИМПОРТНЫЕ



Rustrans-Logistic.ru

Product:

Remarks: No data available

Rustrans-Logistic.ru



12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available



No data available

Mobility in soil

No data available

Other adverse effects





Product:

Additional ecological information



13. DISPOSAL CONSIDERATIONS

Rustrans-Logistic.ru **Disposal methods**

Rustrans-Logistic.ru Contaminated packaging



Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGRЫЕ ИМПОРТНЫЕ МАСЛА

ustrans-Logistic.ru



Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.


15. REGULATORY INFORMATION

Safety, health and environmental regu<mark>lations</mark>/legislation specific for the substance or mixture в импортные масла

Law on Chemicals No. 06/2007/QH12

The components of this product are reported in the following inventories:

Rustrans-Logistic.ru



MAZDA GENUINE MOTOR OIL SN LV 285 5W-30

2017/06/21



ENCS

Listed

TSCA

EINECS

Listed

REACH DSL

Listed

Rustrans-Logistic.ru

For further information, please contact

AICS

Listed

KECI

Listed

PICCS

IECSC

Listed : Listed

TCSI

Listed

NZIoC

Listed

16. OTHER INFORMATION

Rustrans-Logistic.ru

rans-Logistic.ru

Full text of other abbreviations below MMNOPTHEE MACAA

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD

- Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Hole Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format

yyyy/mm/dd

Rustrans-Logistic.ru



rans-Logis

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ISTIC. PU THЫЕ МАСЛА

ľ**U** :ЛА







trans-Logistic.ru





'U :ЛА







trans-Logistic.ru





'U ЛА







trans-Logistic.ru





'u







trans-Logistic.ru





'u







trans-Logistic.ru





Rustrans-Logistic.ru