
	EMITSU				* ~
	DATA SHEET				
	<mark>A GE</mark> NUINE MO			Rustrans	
Version	Revision Date: ADDA	SDS Number: 10000009432		ssue: 01/07/202	
1.1	04/07/2020	10000009452	Date of first is	ssue: 01/07/202	20
SECTION 1	. IDENTIFICATION				
Rustrans-l	Logistic.ru	Rust	trans-Logis	stic.ru	Ru:
	t nameные масла	: TOYOTA GEI	NUINE MOTOR O	IL SP 5W-30	
Product	t code	: SS_049			
L TOMAC.		. 00_040			
tic ruManufa	acturer or supplier's o	details <u>distic</u> .	P11 💼	Rustrans	-l ogistig
Compa	ny name of supplier		e Middle E <mark>a</mark> st & Af	rica FZE	
Address	3	: Dubai Airport UAE	Free Zone 4WB-4	48 P.O.Box 293	3514 Dubai,
Telepho	one	: +971-4-2602-	-960	-	
Rustrans-l	Logistic.ru	Rust	trans-Logis	stic.ru	Rus
ригиналTelefax	МПОРТНЫЕ МАСЛА	: +971-4-2602-	962 НЫЕ ИМПОРТН		
Emerge	ency telephone				
number					
RUST Restrict	mended use of the cl mended use tions on use	: Lubricant	rictions on use trans-Logis нальные импортн	stic.ru	е импортные м
Rustr Restrict	tions on use	: Lubricant	trans-Logis	оригинальныю stic.ru	
Recom Recom	tions on use	: Lubricant	trans-Logis нальные импортн	оригинальны stic.ru ные масла	е импортные м
Rusti Restrict Ригинальные и SECTION 2.	tions on use TU	: Lubricant : CATION : Logistic.	trans-Logis нальные импортн	оригинальны stic.ru ные масла	
Rusti Restrict Ригинальные и SECTION 2.	mended use tions on use MПОРТНЫЕ МАСЛА . HAZARDS IDENTIFIC	: Lubricant : Rust None known.	trans-Logis нальные импортн ru сла	оригинальный stic.ru ные масла Rustrans оригинальный	е импортные ми
Rustr Restrict PHICHADENE M SECTION 2. SECTION 2. SECTION 2. This ma	tions on use TU	: Lubricant : Rust None known.	trans-Logis нальные импортн ru сла	оригинальный stic.ru ные масла Rustrans оригинальный	е импортные ми
RUST Restrict PHICHADDHDE H SECTION 2. SECTION 2. SECTION 2. This ma Standar	tions on use HAZARDS IDENTIFIC HAZARDS IDENTIFIC lassification HAZARDS IDENTIFIC	: Lubricant : Lubricant : Rust None known.	trans-Logis нальные импортн ru сла	оригинальный stic.ru ные масла Rustrans оригинальный	е импортные ми
RUSTI Restrict RECOM RECOM RECOM RESTRICT SECTION 2. SECTION 2. This ma Standar Not a ha	tions on use HAZARDS IDENTIFIC Iassification Aterial is not hazardous rd 29CFR 1910.1200.	: Lubricant : None known.	trans-Logis HAЛЬНЫЕ ИМПОРТН ru сла	оригинальны stic.ru ные масла Rustrans оригинальны НА Hazard Cor	е импортные ми
Recom Recom Recom Recom SECTION 2. SECTION 2. This ma Standar Not a ha GHS Ia	tions on use HAZARDS IDENTIFIC Iassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements	: Lubricant : Lubricant : None Russ None known.	trans-Logis HAЛЬНЫЕ ИМПОРТН ru cna of the Federal OS	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru	E UMROPTHUE M
Recom Recom Recom Recom Recom Restrict SECTION 2. SECTION 2. This ma Standar Not a ha Not a ha Not a ha	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of	: Lubricant : Lubricant : None Russ None known.	ru cna of the Federal OS trans-Logis	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru	E UMROPTHUE M
RUST Restrict RECOM RECOM RECOM RESTRICT SECTION 2. SECTION 2. This ma Standar Not a ha Other h	tions on use HAZARDS IDENTIFIC IASSIFICATION Aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazardous	: Lubricant : Lubricant : None Russ None known.	ru cna of the Federal OS trans-Logis	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru	E UMROPTHUE M
Rusti Restrict Rusti Restrict SECTION 2. SECTION 2. This ma Standar Not a ha Other h None ki	tions on use HAZARDS IDENTIFIC Iassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of bel elements azardous substance of bel elements azardous not hazardous	: Lubricant : None known.	ru trans-Logis нальные импортн ru сла of the Federal OS trans-Logis нальные импортн	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru ные масла	EUMITOPTHEE MURICIPALITY
Recom Recom Recom Recom Recom SECTION 2. SECTION 2. GHS CI This ma Standar Not a ha Other h None ki	tions on use HAZARDS IDENTIFIC IASSIFICATION Aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazardous	: Lubricant : Lubricant : None known. CATION S-Logistic. s under the criteria or mixture. Russ or mixture.	ru trans-Logis нальные импортн ru cла of the Federal OS trans-Logis нальные импортн	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Con stic.ru ные масла	S-Logistic nmunication
Recom Recom Recom Recom SECTION 2. SECTION 2. This ma Standar Not a ha Other h None kr	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC	: Lubricant : None known.	ru trans-Logis нальные импортн ru cла of the Federal OS trans-Logis нальные импортн	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Con stic.ru ные масла	EUMITOPTHEE MURICIPALITY
Recom Recom Recom Recom SECTION 2. SECTION 2. This ma Standar Not a ha Other h None kr	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown.	: Lubricant : Lubricant : None known. CATION S-Logistic. s under the criteria or mixture. Russ or mixture.	ru trans-Logis нальные импортн ru cла of the Federal OS trans-Logis нальные импортн	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Con stic.ru ные масла	S-Logistic nmunication
Recom Recom Recom Recom SECTION 2. SECTION 2. This ma Standar Not a ha Other h None ki SECTION 3. Substar	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC nce / Mixture	: Lubricant : Lubricant : None known. CATION S-LOGISTICA s under the criteria or mixture. or mixture. CRMATION ON IN : Mixture	trans-Logis HARDHNE MITOPTH ru of the Federal OS trans-Logis HARDHNE MITOPTH	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Con stic.ru ные масла	S-Logistic nmunication
Recom Recom Recom Recom Recom Restrict SECTION 2. SECTION 2. This ma Standar Not a ha Other h None ki SECTION 3. Substar	mended use tions on use HAZARDS IDENTIFIC Lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC nce / Mixture	: Lubricant : Lubricant : None known. CATION S-LOGISTICA s under the criteria or mixture. or mixture. CRMATION ON IN : Mixture	ru cna of the Federal OS trans-Logis HAЛЬНЫЕ ИМПОРТН GREDIENTS	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Con stic.ru ные масла Rustrans оригинальны оригинальны	
Recom Recom Recom Recom Recom SECTION 2. SECTION 2. This ma Standar Not a ha Other h None ki SECTION 3. Substar Rust Hazard Chemic	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC nce / Mixture	: Lubricant : Lubricant : None known. CATION S-LOGISTIC.I S-LOGISTI	rictions on use trans-Logis нальные импортн ru of the Federal OS trans-Logis нальные импортн igredients	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru ные масла Rustrans оригинальны stic.ru оригинальны	CONTRACTOR OF THE MARKED AND AND AND AND AND AND AND AND AND AN
Recom Recom Recom Recom SECTION 2. GHS CI This ma Standar Not a ha Other h None ki SECTION 3. Substar Substar	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC nce / Mixture	: Lubricant : Lubricant : None known. CATION S-LOGISTIC.I S-LOGISTI	ru cna of the Federal OS trans-Logis HAЛЬНЫЕ ИМПОРТН GREDIENTS	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru ные масла Rustrans оригинальны stic.ru оригинальны	
Recom Recom Recom Recom Recom SECTION 2. SECTION 2. This ma Standar Not a ha Other h None ki SECTION 3. Substar BUST Hazard Distillat paraffin	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC nce / Mixture lous components cal name es (petroleum), hydrotrai	: Lubricant : Lubricant : None known. CATION S-LOGISTIC.I S-LOGISTI	rictions on use trans-Logis нальные импортн ru of the Federal OS trans-Logis нальные импортн igredients	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru ные масла Rustrans оригинальны stic.ru оригинальны	CONTRACTOR OF THE MARKED AND AND AND AND AND AND AND AND AND AN
Recom Recom Recom Recom SECTION 2. GHS CI This ma Standar Not a ha Other h None ka SECTION 3. SUbstar Hazard Distillat paraffin No haz	mended use tions on use HAZARDS IDENTIFIC lassification aterial is not hazardous rd 29CFR 1910.1200. azardous substance of bel elements azardous substance of hazards nown. COMPOSITION/INFC nce / Mixture	: Lubricant : Lubricant : None known. CATION S-LOGISTIC.I S-LOGISTI	rictions on use trans-Logis нальные импортн ru of the Federal OS trans-Logis нальные импортн igredients	оригинальны stic.ru ные масла Rustrans оригинальны HA Hazard Cor stic.ru ные масла Rustrans оригинальны stic.ru ные масла	CONTRACTOR OF THE MARKED AND AND AND AND AND AND AND AND AND AN

















Rustrans-Logistic.ru SS_049 M-TOYOTA GENUINE MOTOR OIL SP Revision Date: 04/07/2020 5W-30

ІЕ МАСЛ		ІМПОРТНЫЕ МАС	TWA	5 mg/m3 льные им	
			(Inhalable		
-			fraction)	E ma/m2	OSHA P0
-			TWA (Mist) TWA (Mist)	5 mg/m3 5 mg/m3	NIOSH REL
Rustra	ans-Logistic.ru	Rust	ST (Mist)	10 mg/m3	NIOSH REL
ОРИГИНА <mark>ЛЬ</mark>	ЛЬНЫЕ ИМПОРТНЫЕ МАСЛА	ОРИГИН	PEL	5 mg/m3	CAL PEL
			(particulate)	0 119/110	
-	Distillates (petroleum),	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
	hydrotreated heavy paraffinic			, , , , , , , , , , , , , , , , , , ,	
tic.ru	I Rustrans-	Logistic.	TWA	5 mg/m3rans-L	ACGIH C.
Е МАСЛ		ІМПОРТНЫЕ МАС	(Inhalable	ОРИГИНАЛЬНЫЕ ИМ	ПОРТНЫЕ МАСЛ
-			fraction) TWA (Mist)	5 mg/m2	OSHA P0
-			TWA (Mist)	5 mg/m3 5 mg/m3	NIOSH REL
-			ST (Mist)	10 mg/m3	NIOSH REL
lustr	ans-Logistic.ru	Rust	PEL	5 mg/m3	CAL PEL
РИГИНА	ЛЬНЫЕ ИМПОРТНЫЕ МАСЛА	ОРИГИН	A(particulate)	5 mg/m3	ОРИГИНА
F	Distillates (petroleum), solvent- dewaxed heavy paraffinic	64742-65-0	TWA (Mist)	5 mg/m3	OSHA Z-1
+	dewared neavy parallillic		TWA (Mist)	5 mg/m3	OSHA P0
	Dustrans.	Logistic	TWA (Mist)	5 mg/m3	NIOSH REL
tic.ru	i Kustrans-	Logistic.	ST (Mist)	10 mg/m3	NIOSH REL
Е МАСЛ	а оригинальные і	ІМПОРТНЫЕ МАС	PEL	5 mg/m3	CAL PEL
			(particulate)	0	
lustr ригина.	Personal protective equipmen	Safety glasse	s yewash stations	s and safety showers	Rust оригини are close
РИГИНА	Protective measures	Safety glasse Ensure that end to the worksta	yewash stations ation location.	and safety showers	are close
ригина tic.ru	Protective measures	 Safety glasse Ensure that end to the worksta Wear suitable When using d Wash hands to the product. Remove contable 	yewash stations ation location. protective equi lo not eat, drink before breaks an aminated clothin og eating areas.	and safety showers pment. or smoke. Tans-L nd immediately after h	are close
ригина tic.ru ie маслл Rustr ригина	Protective measures Protective measures Hygiene measures	 Safety glasse Ensure that entropy to the workstand to the workstand Wear suitable When using d Wash hands the product. Remove contrabefore entering 	yewash stations ation location. protective equi lo not eat, drink before breaks an aminated clothir ng eating areas.	and safety showers pment. or smoke. Tans-L nd immediately after h	are close
ригинал tic.ru е маслл Rustr	Protective measures Protective measures Hygiene measures Ans-Logistic.ru	 Safety glasse Ensure that end to the worksta Wear suitable When using d Wash hands to the product. Remove contabefore entering MCAL PROPER 	yewash stations ation location. protective equi lo not eat, drink before breaks an aminated clothir ng eating areas.	and safety showers pment. or smoke. Tans-L nd immediately after h	are close
ригина tic.ru е масли tustr	Protective measures Protective measures Hygiene measures	 Safety glasse Ensure that ey to the worksta Wear suitable When using d Wash hands to the product. Remove contabefore entering IICAL PROPER transparent 	yewash stations ation location. protective equi lo not eat, drink before breaks an aminated clothir og eating areas.	and safety showers pment. or smoke. Tans-L nd immediately after h ng and protective equ	are close
ригина tic.ru ie масли Rustr pur ина SEC	Protective measures Protective measures Hygiene measures Ans-Logistic.ru	 Safety glasse Ensure that end to the worksta Wear suitable When using d Wash hands to the product. Remove contabefore entering MCAL PROPER 	yewash stations ation location. protective equi lo not eat, drink before breaks an aminated clothir og eating areas.	and safety showers	are close
ригина tic.ru e масли tustr pur ина sec	Protective measures Hygiene measures Appearance	 Safety glasse Ensure that ey to the worksta Wear suitable When using d Wash hands to the product. Remove contabefore entering IICAL PROPER transparent 	yewash stations ation location. protective equi lo not eat, drink before breaks an aminated clothir og eating areas.	and safety showers	are close
ригина tic.ru e масли tustr pur ина sec	Protective measures Hygiene measures Appearance Physical state Opuruhane Heasures	 Safety glasse Ensure that end to the worksta Wear suitable When using d Wash hands to the product. Remove contable before entering Itansparent Iiquid brown characteristic 	yewash stations ation location. protective equi lo not eat, drink before breaks at aminated clothir ng eating areas.	and safety showers	are close
ригина tic.ru e масли tustr pur ина sec	Protective measures Hygiene measures Appearance Physical state Colour	 Safety glasse Ensure that end to the worksta Wear suitable When using d Wash hands to the product. Remove contable before entering Itansparent Iiquid brown characteristic 	s yewash stations ation location. protective equi lo not eat, drink before breaks at aminated clothir ng eating areas. TIES	and safety showers	are close
ригина tic.ru e масли tustr pur ина sec	Protective measures Hygiene measures Appearance Physical state Colour	 Safety glasse Ensure that end to the worksta Wear suitable When using d Wash hands to the product. Remove contable before entering Itansparent Iiquid brown characteristic 	s yewash stations ation location. e protective equi lo not eat, drink before breaks at aminated clothir ing eating areas. TIES	and safety showers	are close
ригинал tic.ru те маслл Rustr ригинал	Protective measures Hygiene measures Hygiene measures TION 9. PHYSICAL AND CHEM Appearance Physical state Colour Odour Dour Dour Threshold pH Freezing point	 Safety glasse Ensure that entropy to the workstand Wear suitable When using d Wash hands the product. Remove contrabefore entering IICAL PROPER transparent liquid brown characteristic No data avail No data avail No data avail No data avail 	s yewash stations ation location. protective equi lo not eat, drink before breaks at aminated clothin g eating areas. TIES	and safety showers	are close









5W-30	
tic.ru _{Melting} point Rustran	No data available Rustrans-Logistic.r
е масла Drop point	ые импортные масла : No data available
Pour point	: -47.5 °C
Boiling point istic.ru	: No data available S-Logistic.ru
ригинальные импортные масла Flash point	: 238 °C Method: Cleveland open cup
Lic.ru Evaporation rate	s-: No data available Rustrans-Logistic.r
EMACTAFlammability (solid, gas)	ые и No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data availablens-Logistic.ru
Vapour pressure	: No data available импортные масла
Relative vapour density	: No data available
ic.ruRelative density custran	S-: No data available Rustrans-Logistic.r
е масла Density	ые импортные мас. : 0.8527 g/cm3 (15 °C)
Solubility(ies) Water solubility	: No data available
Partition coefficient: n- octanol/water	: -No data availableные импортные масла Rust
Auto-ignition temperature	: No data available
C. Decomposition temperature	IS-: No data available Rustrans-Logistic.r
е масла Viscosity Viscosity, kinematic	ые импортные масла : 60.63 mm2/s (40 °C)
Oxidizing properties	No data available
SECTION 10. STABILITY AND R	EACTIVITY
Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
UST Incompatible materials	: Strong acids and strong bases
Hazardous decomposition products	: No hazardous decomposition products are known.



















































R

Rustrans-Logistic.ru

Rustrans-Logistic.r

Rustrans-Logistic.ru ом SS_049 и-то ТОУОТА GENUINE MOTOR OIL SP В Revision Date: Очитинальн 5W-30

S-LOGISTIC. USheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act EMMOPTHEE MACT (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the CTA Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative





ustrans-Logistic.ru

