



Mercedes-Benz

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

MB-Freigabe-Nr 236.15

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

Uses advised against

This product should not be used for other purposes than those specified without the advice of an expert.

1.3 Details of the supplier of the safety data sheet

Supplier

Mercedes-Benz AG
70546 Stuttgart
Germany
+49 (0)711 17-0
Telefon + 49 (0)711 17-97390
Telefax + 49 (0)711 17-94831
E-Mail (fachkundige Person) mercedes-benz-sdb@mercedes-benz.com

Manufacturer

Mercedes-Benz AG

70546 Stuttgart
Germany
Telephone +49 711 17-0
E-mail (competent person):
mercedes-benz-sdb@mercedes-benz.com

1.4 Emergency telephone number

+49 711 17-0
gms.aftersales.mercedes-benz.com
Giftnotruf der Charité – Universitätsmedizin Berlin +49 (0)30 30686700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1, H304

hazard statements for health hazards

H304 May be fatal if swallowed and enters airways.



Mercedes-Benz

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



GHS08

Signal word

Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P501 Dispose of contents/container in accordance with national regulation.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/.
P331 Do NOT induce vomiting.
P102 Keep out of reach of children.

2.3 Other hazards

Other adverse effects

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Description

Highly refined mineral oil with additives.

Hazardous ingredients

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	60 - 100 weight-%	Asp. Tox. 1; H304	ATE(oral): ≥ 5001 mg/kg ATE(dermal): ≥ 3001 mg/kg ATE(inhalation vapour): 5.53 mg/L

REACH No.

01-2119484627-25

Substance name

Distillates (petroleum), hydrotreated heavy paraffinic

Remark

The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346.



A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove victim out of the danger area.
Remove contaminated, saturated clothing immediately.

Following inhalation

Provide fresh air.
In the event of symptoms refer for medical treatment.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.
In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Remove contact lens

Following ingestion

Do NOT induce vomiting.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam
Extinguishing powder
Carbon dioxide (CO₂)
Water spray jet

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire formation of dangerous gases possible.
Nitrogen oxides (NO_x)
Aldehydes
Carbon monoxide
Carbon dioxide (CO₂)
Sulphur oxides



Mercedes-Benz

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Cool endangered containers with water spray and possibly remove them from fire site.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid skin and eye contact.

Use personal protection equipment.

Special danger of slipping by leaking/spilling product.

For emergency responders

Personal protection equipment

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For containment

Collect with spongy material (all-purpose gelation agent) and dispose of in compliance with the regulations.

6.4 Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Avoid:

generation/formation of aerosols

Provide for appropriate ventilation/aspiration at the work station

Do not heat up to temperatures close to the flash point.

All work processes must always be designed so that the following is as low as possible:

Skin contact

Avoid:

Eye contact

Do not put any product-impregnated cleaning rags into your trouser pockets.



A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

Advices on general occupational hygiene

- Thorough skin-cleansing after handling the product.
- Apply skin care products after work.
- When using do not eat, drink, smoke, sniff.
- Keep away from food and drink.
- Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container.

Storage class

10 Combustible liquids that cannot be assigned to any of the above storage classes

Materials to avoid

- Do not store together with:
- Food and feedingstuffs

Further information on storage conditions

- Keep container tightly closed and protected against effects of weather in a cool, appropriately aerated area.
- Protect against:
 - Heat
 - UV-radiation/sunlight

7.3 Specific end use(s)

Recommendation

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL worker

CAS No.	Substance name	DNEL value	DNEL type	Remark
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	5.4 mg/m ³	long-term inhalative (local)	

DNEL Consumer

CAS No.	Substance name	DNEL value	DNEL type	Remark
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	1.2 mg/m ³	long-term inhalative (local)	

PNEC

CAS No.	Substance name	PNEC Value	PNEC type	Remark
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	9.33 mg/kg	Secondary Poisoning	, Nahrung

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure

Sufficient ventilation and exhaustion.



A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

Personal protection equipment

Eye/face protection

Safety glasses recommended during transfer

Hand protection

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Glove materials data [type, thickness, breakthrough time/duration of use, permeation rate]: Nitrile rubber (protection index 6, >480 min, 0.4 mm)

Body protection:

Protective clothing

Respiratory protection

Respiratory protection necessary at:

insufficient exhaust

prolonged exposure

Suitable respiratory protection apparatus:

Filtering device (full mask or mouthpiece) with filter:

AX

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

blue

Odour

characteristic

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	-51 °C		
Boiling point or initial boiling point and boiling range	> 100 °C		
Flammability	not determined		
Lower and upper explosion limit	not determined		
Flash point	> 180 °C	ASTM D 93	
Auto-ignition temperature	not determined		
Decomposition temperature	not determined		
pH	in delivery state		not applicable
Viscosity	kinematic 16- 20 mm ² /s (40°C)		
Viscosity	kinematic 4- 4.6 (100°C)		



A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

	Value	Method	Source, Remark
Solubility(ies)	Water solubility		practically insoluble
Partition coefficient n-octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	0.841 g/cm ³ (15°C)	estimated	
Relative vapour density	not determined		
particle characteristics	not determined		

9.2 Other information

Other safety characteristics

	Value	Method	Source, Remark
Explosive properties:			The product is not explosive

Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions known.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Heat
High temperatures

10.5 Incompatible materials

Oxidising agent, strong
Strong acids
Strong bases

10.6 Hazardous decomposition products

No decomposition products will result from proper storage and handling.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity



Mercedes-Benz

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	CAS No. 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic LD50: ≥ 5001 mg/kg Species Rat	OECD 423	
Acute dermal toxicity	CAS No. 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic LD50: ≥ 3001 mg/kg Species Rabbit	OECD 402	
Acute inhalation toxicity	CAS No. 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic Acute inhalation toxicity (vapour) LC50: 5.53 mg/L Species Rat		

Skin corrosion/irritation

Assessment/classification

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Assessment/classification

Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Skin sensitisation

Assessment/classification

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Value	Method	Result / Evaluation	Remark
In vitro mutagenicity/genotoxicity		not mutagenic	

Carcinogenicity

Animal data

Value	Method	Result / Evaluation	Remark
Carcinogenicity		not cancerogenic	



Mercedes-Benz

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

Reproductive toxicity

Assessment/classification
not toxic for reproduction

STOT-single exposure

STOT SE 1 and 2

Assessment/classification

The mixture is not classified as a specific target organ toxicant, single exposure.

STOT-repeated exposure

Assessment/classification

The mixture is not classified as a specific target organ toxicant, repeated exposure.

Aspiration hazard

Remark

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Other information

More frequent and more prolonged skin contact can dry out the skin, which may lead to skin complaints and inflammations (dermatitis).

Risk of eye and respiratory tract irritation due to high temperatures of vapours and oil mist.

In case of swallowing, irritations of the gastric mucous membrane, nausea, vomiting and diarrhoea may occur.

Toxicological data are not available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	CAS No.64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic LL50 > 100 mg/L Species Pimephales promelas (fathead minnow) Test duration 96 h	OECD 203	
Chronic (long-term) fish toxicity	CAS No.64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic NOEC 1000 mg/L Species Oncorhynchus mykiss (Rainbow trout) Test duration 14 d		



A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) toxicity to crustacea	CAS No.64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic EC50 > 10000 mg/L Species Daphnia pulex (water flea) Test duration 48 h	OECD 202	
Chronic (long-term) toxicity to aquatic invertebrate	CAS No.64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic NOEC > 1 mg/L Species Daphnia pulex (water flea)		
Acute (short-term) toxicity to algae and cyanobacteria	CAS No.64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic EC50 > 100 mg/L Species Pseudokirchneriella subcapitata (green alga) Test duration 72 h		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

Assessment/classification

The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Ecological dates are not available.

Product is not allowed to be discharged into the ground water or aquatic environment.

The product floats on top of the water/sewage.



A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Dispose of waste according to applicable legislation.

Remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	-	-	-
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No
14.6 Special precautions for user	No data available		
14.7 Maritime transport in bulk according to IMO instruments	not applicable		

All transport carriers

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

See overview table at www.euphrac.eu

Key literature references and sources for data

Safety data sheets of suppliers



Mercedes-Benz

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

A 000 989 70 04 11 GULN

Mercedes-Benz Automatic Transmission Fluid FE MB 236.15

Print date 14.04.2023

Revision date 01.01.2023

Version 0 (en)

Additional information

Adhere to existing national and local rules referring to chemicals.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.